

ml

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/848,503	05/04/2001	Myung-sik Yim	Q64255	7564
SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC			EXAMINER	
			USTARIS, JOSEPH G	
2100 Pennsylvania Avenue, NW Washington, DC 20037-3213			ART UNIT	PAPER NUMBER
<i>3</i> · ,			2623	
SHORTENED STATUTOR	RY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MONTHS		04/11/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	T				
	Application No.	Applicant(s)			
Office Action Summer:	09/848,503	YIM ET AL.			
Office Action Summary	Examiner	Art Unit			
	Joseph G. Ustaris	2623			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with	h the correspondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNIC 36(a). In no event, however, may a reposite apply and will expire SIX (6) MONT, cause the application to become ABA	ATION. ply be timely filed HS from the mailing date of this communication. NDONED (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on <u>19 Ja</u>	nnuary 2007.				
	action is non-final.				
3) Since this application is in condition for allowar		rs, prosecution as to the merits is			
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4)⊠ Claim(s) <u>1,2,4-12,14 and 15</u> is/are pending in t	he application				
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1,2,4-12,14 and 15</u> is/are rejected.		·			
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/o	r election requirement.				
Application Papers					
9)☐ The specification is objected to by the Examine	r				
10)⊠ The drawing(s) filed on <u>04 May 2001</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.					
Applicant may not request that any objection to the					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
,					
Priority under 35 U.S.C. § 119					
12)⊠ Acknowledgment is made of a claim for foreign a)⊠ All b)□ Some * c)□ None of:	priority under 35 U.S.C. §	119(a)-(d) or (f).			
1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority document		oplication No			
3. Copies of the certified copies of the prior	·				
application from the International Bureau	•				
* See the attached detailed Office action for a list	of the certified copies not r	eceived.			
·					
	•				
Attachment(s)					
1) Notice of References Cited (PTO-892)		ımmary (PTO-413)			
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)		/Mail Date formal Patent Application			
3) Information Disclosure Statement(s) (PTO/SB/08)	6) Other:	· · · · · · · · · · · · · · · · · · ·			

DETAILED ACTION

Response to Amendment

1. This action is in response to the amendment dated January 19, 2007 in application 09/848.503.

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on January 19, 2007 has been entered.

Information Disclosure Statement

The information disclosure statement (IDS) was submitted on November 13,
 The submission is in compliance with the provisions of 37 CFR 1.97.
 Accordingly, the information disclosure statement is being considered by the examiner.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2623

Claims 1, 2, 4, 5, 7, 9, 12, and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chimoto et al. (US005838383A) in view of Schindler et al. (US006516467B1).

Regarding claim 1, Chimoto et al. (Chimoto) discloses a "multimedia device in a multimedia system" (See Fig. 1). The receiver has a "backplane" that has a bus and multiple module receptacles or "plurality of connectors", where each module receptacle uses a "predetermined signal standard" in order successfully communicate over the bus (See Fig. 1; column 7 lines 61-67 and column 10 lines 54-63). The receiver can accept multiple modules or "extension boards", where a module is "electrically coupled to a first one of the connectors for transmitting an MPEG transport stream" (See Fig. 1, modules 303-306; column 8 lines 1-26), and where each module would have the necessary components or "independent module" to process the steam when the module is selected (See column 8 lines 55-67 and column 9 lines 21-34). The receiver also includes a "main board unit" that has a CPU, memory, controllers, and a back-end processor (See Fig. 1, 313, 314, 309, and 311). The "main board unit" is incorporated into the "backplane" and is connected to all the module receptacles or "electrically coupled to a second one of the connectors" (See Fig. 1) via the bus. The back-end processor of the "main board unit" processes the MPEG transport stream transmitted by the extension board into a predetermined signal form (See column 9 lines 51-62 and column 10 lines 23-34) and the CPU selects the appropriate module or "extension" board" (See column 8 lines 55-67, column 9 lines 21-34, and column 9 line 63 - column 10 lines 8). Furthermore, each of the receptacles inherently have a "transmission signal

line" in order to receive commands from the "main board" to the "extension board" (See column 7 lines 61-67 and column 8 lines 55-67), an "MPEG transport stream line" to transport the MPEG stream from modules 304-306 to module 307 and 308 (See Fig. 1), and an "analog audio/video signal line" in order to successfully receive analog signals into the system (See Fig. 1. 303; column 8 lines 1-25). The bus also serves as the "selection signal line" where it can transmit current parameters to the selected modules (See column 7 lines 61-67, column 8 lines 55-67, and column 9 lines 21-34). Furthermore, each of the "main board unit and the extension board electrically coupled to the connectors" inherently have a "transmission signal line" in order to receive commands from the "main board" to the "extension board" (See column 7 lines 61-67 and column 8 lines 55-67) and "selection signal line" where it can transmit current parameters to the selected modules (See column 7 lines 61-67, column 8 lines 55-67, and column 9 lines 21-34). However, Chimoto does not disclose that each of the extension board have an MPEG transport stream line and an analog audio/video signal line.

Schindler et al. (Schindler) discloses an upgradeable system. Schindler discloses that an expansion card includes an MPEG transport steam line (See Fig. 5, MPEG-2 Decoder) and an analog audio/video signal line (See Fig. 5, YUV to NTSC conversion) (See col. 11 lines 58 – col. 12 line 42). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the modules disclosed by Chimoto to include an MPEG transport stream line and an analog/video

Art Unit: 2623

signal line, as taught by Schindler, in order to reduce the number of modules to buy thereby leaving more available receptacles.

Claim 2 contains the limitations of claim 1 (wherein the "main board unit" and "backplane" form a "combination main board unit" as a single unit (See Chimoto Fig. 1)) and is analyzed as previously discussed with respect to that claim. Furthermore, the modules or "extension board" are attachable to any one of the receptacles and separately from the combination main board (See Chimoto column 10 lines 54-63).

Claim 4 contains the limitations of claims 1 or 2 and is analyzed as previously discussed with respect to those claims. Furthermore, Chimoto discloses a "MPEG transport stream decoder for decoding the MPEG transport stream into an MPEG video bit stream and an audio bit stream" (See Fig. 1, module 305; column 8 lines 1-26), an "MPEG video decoder for decoding the MPEG video bit stream" (See Fig. 1, module 307), an "audio decoder for decoding the audio bit stream" (See Fig. 1, module 308), and a CPU or "control unit" for selecting one of the modules or "extension boards", operating the MPEG TS decoder, the audio decoder, and the MPEG video decoder, and selectively outputting a multimedia signal (See Fig. 1, CPU; column 7 lines 61-67, column 8 lines 55-67, and column 9 lines 21-34). However, Chimoto does not explicitly disclose that the MPEG video decoder and the audio decoder provide an analog video and audio signal.

Official Notice is taken that it is well known for MPEG video decoders and audio decoders to produce analog video and audio signals. Therefore, it would have been obvious to one with ordinary skill in the art at the time the invention was made to modify

Art Unit: 2623

the MPEG video decoder and audio decoder disclosed by Chimoto to be able to produce an analog video and audio signal in order to increase the capabilities of the system thereby making the system compatible with older system based on analog schemes.

Regarding claim 5, the modules or "extension boards" have a "module unit" for transmitting a transport stream to the "backplane", when the CPU selects that particular "extension board", in order to successfully deliver the stream to other modules within the receiver (See Chimoto Fig. 1; column 7 lines 61-67).

Regarding claim 7, the modules or "extension board" has a "module unit" as discussed in claim 5 above. Furthermore, the modules (See Chimoto Fig. 1, 303-306) or "extension boards" have an "extended control unit" that will receive the commands from the CPU, execute the commands, and control the "module unit" to transmit the stream on to the bus of the receiver (See Chimoto Fig. 1; column 7 lines 61-67 and column 8 lines 1-26). The modules inherently have memory that stores a program that is executed by the module in order to successfully perform its functions (See Chimoto Fig. 1, modules 303-308).

Regarding claim 9, inherently when the CPU does not select the module, the module does not transmit a transport stream on to the bus (See Chimoto column 7 lines 61-67, column 8 lines 55-67, and column 9 lines 21-34).

Claim 12 contains the limitations of claim 1 and is analyzed as previously discussed with respect to that claim.

Art Unit: 2623

Claim 14 contains the limitations of claims 1 and 7 (wherein the modules extends functions different from the functions on the main board (See Chimoto Fig. 1)) and is analyzed as previously discussed with respect to those claims. Furthermore, each of the module (See Chimoto Fig. 1, 303-306) have "module units" that drive a "function extension module" in order to successfully receive a signal and provide a transport stream to the bus (See Chimoto Fig. 1; column 8 lines 1-26 and column 9 lines 34-50). Each module inherently has a "connector unit" that connects the "module unit" to the "extended control unit" in order for the module or "extension board" to operate correctly.

Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Chimoto et al. (US005838383A) in view of Schindler et al. (US006516467B1) as applied to claims 1, 2, 4, 5, 7, 9, 12, and 14 above, and further in view of Trovato et al. (US006469742B1).

Chimoto in view of Schindler discloses that the modules or "extension boards" have a "module unit" for transmitting a transport stream to the "backplane", when the CPU selects that particular "extension board", in order to successfully deliver the stream to other modules within the receiver (See Chimoto Fig. 1; column 7 lines 61-67). However, Chimoto in view of Schindler does not disclose a memory storing a program to be executed by the main board.

Trovato et al. (Trovato) discloses electronic devices with adaptable upgrade capability. Trovato discloses that the modules include memory that stores device drivers and protocols that is used by the CPU to interface the module with the CPU or "memory

Art Unit: 2623

storing a program to be executed by the main board" (See Fig. 1; column 4 lines 20-26). Therefore, it would have been obvious to one with ordinary skill in the art at the time the invention was made to modify the modules disclosed by Chimoto in view of Schindler to have a memory that stores a program to be executed by the main board, as taught by Trovato, in order to make the upgrade process easier for the user thereby requiring less interaction from the user during the upgrade process.

Claims 8 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chimoto et al. (US005838383A) in view of Schindler et al. (US006516467B1) as applied to claims 1, 2, 4, 5, 7, 9, 12, and 14 above, and further in view of Battini et al. (US006919792B1).

Chimoto in view of Schindler does not disclose that the "extended control unit transmits menu items in the form of an HTML document to the main board to display the menu items on a screen, and if a menu item displayed is selected by the main board, the extended control unit executes a command corresponding to the selected menu item.

Battini et al. (Battini) discloses a system for controlling various components in a system. Battini discloses that a device sends a set of HTML pages to a control unit that is used to control the device. The control unit displays the HTML pages. The HTML pages can display various information and control parameters or "menu items" (See column 3 line 60 – column 4 line 29). The user can use the HTML web pages to issue commands (e.g. change volume setting) and the command is sent to the device to

execute the command (See column 3 line 60 – column 4 line 29 and column 6 lines 9-25). Therefore, it would have been obvious to one with ordinary skill in the art at the time the invention was made to modify the modules and CPU disclosed by Chimoto in view of Schindler to be able to transmits menu items in the form of an HTML document to the main board to display the menu items on a screen, and if a menu item displayed is selected by the main board, the extended control unit executes a command corresponding to the selected menu item, as taught by Battini, in order to provide a more efficient means of controlling devices by using a well known and established language.

Claim 15 contains the limitations of claims 8 and 14 and is analyzed as previously discussed with respect to those claims.

Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Trovato et al. (US006469742B1) in view of Whetsel (US005497379A) and Chimoto et al. (US005838383A).

Trovato et al. (Trovato) discloses a "method for extending functions of a multimedia device having a backplane, a main board, and at least one extension board electrically coupled to the backplane" (See Fig. 1). The system is able to "determine whether the extension board is electrically coupled to one of the plurality of connectors of the backplane" (See Fig. 1; column 4 lines 29-61). If a module is connected, the system is able to "analyze characteristics of the extension board" (See column 4 lines 20-26), wherein the CPU reads and loads the device drivers and protocols to order to

successfully interface with the CPU. The system would use the module to "perform functions according to the characteristics" and "display a signal corresponding to the function of the extension board" (See column 4 lines 6-61). For example, if the module is a video signal processing unit or a graphic processor, then the system will utilize the module's functions and display the video or graphics on the display or screen (See Fig. 1). However, Trovato does not explicitly disclose (1) "sequentially scanning the connectors" and (2) the "main board unit selects the extension board to transmit the MPEG transport stream processed by an independent module of the extension board".

- (1) Whetsel discloses a system that is able to perform tests on various circuits, e.g. bus circuits. Whetsel discloses that one of the test operations executes a sequence of connection scans to detect the presence of add on boards or "sequentially scanning the connectors" (See column 14 line 59 column 15 line 15). Therefore, it would have been obvious to one with ordinary skill in the art at the time the invention was made to modify the system disclosed by Trovato to also sequentially scan the connectors, as taught by Whetsel, in order to verify if the modules are still active and present over a period of time (See column 14 lines 59-61).
- (2) Chimoto et al. (Chimoto) discloses an upgradeable receiver. Chimoto discloses that the main board unit selects the extension board (See column 8 lines 55-67 and column 9 lines 21-34) to transmit the MPEG transport stream processed by an independent module of the extension board (See Fig. 1, modules 307 and 308; column 8 lines 1-26). Therefore, it would have been obvious to one with ordinary skill in the art at the time the invention was made to modify the system disclosed by Trovato to have

the main board unit select the extension board to transmit the MPEG transport stream processed by an independent module of the extension board, as taught by Chimoto, in order to provide a system that can be easily upgraded to various decoding schemes such as MPEG.

Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Trovato et al. (US006469742B1) in view of Whetsel (US005497379A) and Chimoto et al. (US005838383A) as applied to claim 10 above, and further in view of Battini et al. (US006919792B1).

Trovato in view of Whetsel and Chimoto does not disclose that the main board receives an operation command transmitted from the extension board in the form of a menu and displaying the received menu on the screen by a web browser, and performing a command corresponding to the displayed menu.

Battini et al. (Battini) discloses a system for controlling various components in a system. Battini discloses that a device sends a set of HTML pages to a control unit that is used to control the device. The control unit, which serves as a "web browser", displays the HTML pages. The HTML pages can display various information and control parameters or "menu items" (See column 3 line 60 – column 4 line 29). The user can use the HTML web pages to issue commands (e.g. change volume setting) and the command is sent to the device to execute the command (See column 3 line 60 – column 4 line 29 and column 6 lines 9-25). Therefore, it would have been obvious to one with ordinary skill in the art at the time the invention was made to modify the

modules and CPU disclosed by Trovato in view of Whetsel and Chimoto to have the main board receive an operation command transmitted from the extension board in the form of a menu and displaying the received menu on the screen by a web browser, and performing a command corresponding to the displayed menu, as taught by Battini, in order to provide a more efficient means of controlling devices thereby making the system more convenient to the user.

Response to Arguments

4. Applicant's arguments with respect to claims 1, 2, 4-9, 12, 14, and 15 have been considered but are most in view of the new ground(s) of rejection.

Furthermore, applicant argues with respect to claims 6, 8, and 15 that Trovato and Battini does not disclose a backplane including a plurality of connectors carrying multiple signal lines of different type. However, Chimoto discloses these limitations. See claim rejection above.

Applicant's arguments filed January 19, 2007 with respect to claims 10 and 11 have been fully considered but they are not persuasive.

Applicant argues with respect to claims 10 and 11 that there is no suggestion to combine the references. The examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir.

1988) and In re Jones, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, both Trovato and Whetsel disclose systems that control and manage a bus and the modules/boards connected to the bus. Trovato does disclose that during startup the modules identify themselves to the system. However, Trovato does not have any means of checking whether the module is still connected after a period of time after startup. regardless of how many modules are connected to the system. Whetsel discloses a system that performs a test that sequentially scans the connectors to determine whether a module/board is coupled to the connector (See column 14 line 59 - column 15 line 15). Whetsel also discloses that the boards are identified when they are connected to the backplane (See column 14 lines 44-52), thereby suggesting that a prior identification process was performed. An extra test would be useful in order to determine the presence of the module/board in the system some period of time after startup or of inactivity (See column 14 lines 59-61). At startup, the modules would identify themselves to the system. Then some period of time after startup or of inactivity a test is performed to determine if the module/board is still present.

Furthermore, applicants argue that that Trovato does not disclose a main board. However, reading the claims in the broadest sense, Trovato does meet that limitation in the claims. Trovato discloses a main board that includes the CPU, which makes the selections (See Fig. 1).

Applicant is reminded that although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Application/Control Number: 09/848,503 Page 14

Art Unit: 2623

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Please take note of Rapaich (US006502142B1) for his similar module based receiver.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph G. Ustaris whose telephone number is 571-272-7383. The examiner can normally be reached on M-F 7:30-5 PM; Alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher S. Kelley can be reached on 571-272-7331. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JGU April 2, 2007